


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:


1. (currently amended): An ink set comprising a plurality of inks different in hues, wherein the plurality of inks includes a black ink containing a coloring agent that is a dye having: a λ_{max} of 500 nm to 700 nm; a half value width of 100 nm or more in an absorption spectrum of a dilute solution normalized to an absorbance of 1.0; and a forced fading rate constant of 5.0×10^{-2} [hour⁻¹] or less, in which the forced fading rate constant is decided by dissolving and/or dispersing the dye in an aqueous medium to form an ink composition for ink jet recording, printing the ink composition on a reflection type medium, thereafter measuring a reflection density through a Status A filter, specifying one point having a reflection density (D_B) in an yellow region of 0.90 to 1.10 as an initial density of the ink, forcedly fading the printed matter by use of an ozone fading tester that can regularly generate 5 ppm of ozone, and determining the time taken until the reflection density reaches 80% of the initial density,

wherein the dye is a compound represented by the following general formula (1):



wherein A, B and C each independently represents an aromatic group or a heterocyclic group, which may be substituted, m is an integer of 1 or 2, and n is an integer of 0 or more, with the proviso that at least one of A, B and C is a heterocyclic group which may be substituted.

2. (original): An ink set comprising a plurality of inks different in hues, wherein the plurality of inks includes a black ink containing a coloring agent that is a dye represented by the following general formula (1), the dye having: a λ_{max} of 500 nm to 700 nm; and a half value width of 100 nm or more in an absorption spectrum of a dilute solution normalized to an absorbance of 1.0:



wherein A, B and C each independently represents an aromatic group or a heterocyclic group, which may be substituted, m is an integer of 1 or 2, and n is an integer of 0 or more, with the proviso that at least one of A, B and C is a heterocyclic group which may be substituted.


3. (canceled).

4. (original): The ink set described in claim 1 or 2, which further comprises at least one dye having a λ_{max} of 350 nm to 500 nm.

5. (currently amended): The ink set described in ~~claim 2 or 3~~ claim 1 or 2, wherein n and m in the formula (1) are 1.

6. (currently amended): The ink set described in ~~claim 2 or 3~~ claim 1 or 2, wherein at least two of A, B and C in the general formula (1) are a heterocyclic group which may be substituted.


7. (original): The ink set described in claim 1 or 2, which further comprises at least a coloring agent represented by the following general formula (M-I) as the magenta ink:



wherein A¹ represents a residue of a 5-membered heterocyclic diazo component A¹-NH₂; B¹ and B² each represent a nitrogen atom, -CR¹= and -CR²=, and when one of B¹ and B² represents a nitrogen atom, the other represents -CR¹= or -CR²=; R⁵ and R⁶ each independently represents a hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, an acyl group, an alkoxycarbonyl group, an aryloxy carbonyl group, a carbamoyl group, an alkyl- or arylsulfonyl group or a sulfamoyl group, which may further have a substituent group; G¹, R¹ and R² each independently represents a hydrogen atom, a halogen atom, an aliphatic group, an aromatic group, a heterocyclic group, a cyano group, a carboxyl group, a carbamoyl group, an

alkoxycarbonyl group, an aryloxy carbonyl group, a heterocyclic oxycarbonyl group, an acyl group, a hydroxyl group, an alkoxyl group, an aryloxy group, a heterocyclic oxy group, a silyloxy group, an acyloxy group, a carbamoyloxy group, an alkoxycarbonyloxy group, an aryloxy carbonyloxy group, an amino group (containing a heterocyclic amino group and an anilino group), an acylamino group, a ureido group, a sulfamoylamino group, an alkoxycarbonylamino group, an aryloxy carbonylamino group, an alkyl- or arylsulfonylamino group, a heterocyclic sulfonylamino group, a nitro group, an alkyl- or arylthio group, an alkyl- or arylsulfonyl group, a heterocyclic sulfonyl group, an alkyl- or arylsulfinyl group, a heterocyclic sulfinyl group, a sulfamoyl group, a sulfo group or a heterocyclic thio group, which may be further substituted; and R^1 and R^5 , or R^5 and R^6 may combine with each other to form a 5- or 6-membered ring.


8. (original): The ink set described in claim 1 or 2, which further comprises a coloring agent represented by the following general formula (C-I) as the cyan ink:



wherein X_1 , X_2 , X_3 and X_4 each independently represents $-\text{SO}-Z_1$, $-\text{SO}_2-Z_1$, $-\text{SO}_2\text{NR}_{21}\text{R}_{22}$, $-\text{CONR}_{21}\text{R}_{22}$ or $-\text{CO}_2\text{R}_{21}$; Z_1 represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group or a substituted or unsubstituted heterocyclic group; R_{21} and R_{22} each independently represents a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group or a substituted or unsubstituted heterocyclic group; Y_1 , Y_2 , Y_3 and Y_4 each independently represents a univalent substituent group; a_1 to a_4 and b_1 to b_4 each represents the substituent group number of X_1 to X_4 and Y_1 to Y_4 , respectively, a_1 to a_4 each independently represents a number of 0 to 4, but there is no case where all are 0 at the same time, b_1 to b_4 each independently represents a number of 0 to 4, and when a_1 to a_4 and b_1 to b_4 each

represents a number of 2 or more, pluralities of X₁'s to X₄'s and Y₁'s to Y₄'s may each be the same or different; and M is a hydrogen atom, a metal atom, or an oxide, hydroxide or halide thereof.

9. (original): The ink set described in claim 1 or 2, which further comprises a coloring agent represented by the following general formula (Y-I) as the yellow ink:




wherein A¹¹ and B¹¹ each independently represents a heterocyclic group which may be substituted.

10. (original): The ink set described in claim 7, wherein the magenta ink includes a set of two or more inks different in ink concentration, and the ink concentration of one magenta ink is 0.05 to 0.5 time that of the other magenta ink.

11. (original): The ink set described in claim 8, wherein the cyan ink includes a set of two or more inks different in ink concentration, and the ink concentration of one cyan ink is 0.05 to 0.5 time that of the other cyan ink.


12. (original): A color ink cartridge comprising at least a black ink, wherein the black ink includes the coloring agent described in claim 1 or 2.

13. (currently amended): The ink cartridge described in claim 12, which further comprises: a coloring agent represented by the following general formula (M-I) as the magenta ink; and a coloring agent represented by the following general formula (C-I) as the cyan ink:



wherein A¹ represents a residue of a 5-membered heterocyclic diazo component A¹-NH₂; B¹ and B² each represent a nitrogen atom, -CR¹= or -CR²=, and one of B¹ and B² represents a nitrogen atom, the other represents -CR¹= or -CR²=; R⁵ and R⁶ each independently represents a hydrogen atom, an aliphatic group, an aromatic group, a heterocyclic group, an acyl group, an alkoxycarbonyl group, an aryloxy carbonyl group, a carbamoyl group, an alkyl- or arylsulfonyl group or a sulfamoyl group, which may further have a substituent group; G¹, R¹ and R² each independently represents a hydrogen atom, a halogen atom, an aliphatic group, an aromatic group, a heterocyclic group, a cyano group, a carboxyl group, a carbamoyl group, an alkoxycarbonyl group, an aryloxy carbonyl group, a heterocyclic oxycarbonyl group, an acyl group, a hydroxyl group, an alkoxyl group, an aryloxy group, a heterocyclic oxy group, a silyloxy group, an acyloxy group, a carbamoyloxy group, an alkoxycarbonyloxy group, an aryl-


oxycarbonyloxy group, an amino group [([)] containing a heterocyclic amino group and an anilino group[D]], an acylamino group, a ureido group, a sulfamoylamino group, an alkoxycarbonylamino group, an aryloxycarbonylamino group, an alkyl- or arylsulfonylamino group, a heterocyclic sulfonylamino group, a nitro group, an alkyl- or arylthio group, an alkyl- or arylsulfonyl group, a heterocyclic sulfonyl group, an alkyl- or arylsulfinyl group, a heterocyclic sulfinyl group, a sulfamoyl group, a sulfo group or a heterocyclic thio group, which may be further substituted; and R^1 and R^5 , or R^5 and R^6 may combine with each other to form a 5- or 6-membered ring:



wherein X_1 , X_2 , X_3 and X_4 each independently represents $-SO-Z_1$, $-SO_2-Z_1$, $-SO_2NR_{21}R_{22}$, $-CONR_{21}R_{22}$ or $-CO_2R_{21}$; Z_1 represents a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or

unsubstituted aralkyl group, a substituted or unsubstituted aryl group or a substituted or unsubstituted heterocyclic group; R_{21} and R_{22} each independently represents a hydrogen atom, a substituted or unsubstituted alkyl group, a substituted or unsubstituted cycloalkyl group, a substituted or unsubstituted alkenyl group, a substituted or unsubstituted aralkyl group, a substituted or unsubstituted aryl group or a substituted or unsubstituted heterocyclic group; Y_1 , Y_2 , Y_3 and Y_4 each independently represents a univalent substituent group; a_1 to a_4 and b_1 to b_4 each represents the substituent group number of X_1 to X_4 and Y_1 to Y_4 , respectively, a_1 to a_4 each independently represents a number of 0 to 4, but there is no case where all are 0 at the same time, b_1 to b_4 each independently represents a number of 0 to 4, and when a_1 to a_4 and b_1 to b_4 each represents a number of 2 or more, pluralities of X_1 's to X_4 's and Y_1 's to Y_4 's may each be the same or different; and M is a hydrogen atom, a metal atom, or an oxide, hydroxide or halide thereof.

14. (original): The ink cartridge described in claim 12, which further comprises at least one coloring agent represented by the following general formula (Y-I) as the yellow ink:



wherein A^{11} and B^{11} each independently represents a heterocyclic group which may be substituted.

AMENDMENT UNDER 37 C.F.R. § 1.111
U.S. Application No. 10/645,797

15. (currently amended): An ink jet printer ~~using~~ incorporating the ink set described in claim 1 or 2.

16. (currently amended): An image recording method comprising ~~using~~ forming an ink jet image by inkjet printing with the ink set described in claim 1 or 2 in conducting color printing.